

Erika's Lighthouse Staff Training: Part 3: Crisis Intervention



Content Notice

This training contains discussion of depression, self-harm and suicide.

If you or someone you know is experiencing suicidal thoughts or a crisis, please reach out to the 988 Lifeline, which provides 24/7, free, confidential support for people in distress.

988 LIFELINE





PART 3

Crisis Intervention

Agenda

- → What is a crisis?
- → De-Escalation Strategies
- → Assessing Suicide Risks
- → Self-Care & Wellness



Crisis


How do we define crisis?


"A disruption or breakdown in a person's normal or usual pattern of functioning. A crisis cannot be resolved by a person's customary problem solving resources/skills. It is a time of intense difficulty where a person is in trouble or in danger."





Basic Elements of a Crisis





- Difficulty coping
- Timing of the intervention



Types of Crisis



Medical Emergency:

Fainting
Collapsing
Chest pain
Blood in bowel
Irregular heartbeat

Aggressive Behaviors:

Causing physical harm to others or to property

Mental Health Crisis

Panic attack
Psychosis
Suicidal ideation



Assess and De-Escalate

The goal is to assess the situation, de-escalate the individual, and connect them to the appropriate professional help.






How do you approach someone in crisis?

Speak calmly, slowly, and confidently.

Try to understand and encourage the individual to discuss how they are feeling.

Instill hope about long term plans and goals.

*Think about approaching as you would approach ducks sitting on a pond





Effective Tips for De-escalation

- Speak slowly
- Be empathic
- Do not argue
- Do not make threats
- Do not raise your voice
- Be aware of your body positioning
- Pause
- Use positive words
- Stay calm
- Do not restrict their movements
- Be aware of what might trigger aggression







When we remove the triggers and de-escalate it will take the individual **30** minutes to calm down.



Ask the question

Asking somone if they are thinking about suicide is like CPR. It could save their life in a crisis situation.





Suicide Risk Assessment

Four Steps to take if someone appears to be having suicidal ideation



Suicide Risk Assessment

Assess

Speak calmly Try to understand Instill hope

Ask About Planning

Do not leave the person alone.

Get help immediately.

















Are you thinking about killing yourself?

Are you thinking about suicide?

Question

Have you thought about how?

Have you decided when?

Do you have the means to kill yourself?

Act

Call 911

Tell dispatcher the person is at risk for suicide.

Ask for a mental health professional





Thank you



Program Support

Katie Conklin - Vice President of Programs Katie@erikaslighthouse.org

Ilana Sherman - Director of Education Ilana@erikaslighthouse.org



